



Most Widely Accepted and Trusted

# ICC-ES Report

## PMG-1201

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Valid: 12/14 to 12/15

**DIVISION: 22 00 00—PLUMBING**

**SECTION: 22 09 00—INSTRUMENTATION AND CONTROL FOR PLUMBING**

**REPORT HOLDER:**

**XIAMEN SPRINT SHOWERS TECHNOLOGY CO. LTD.**

**NO.9 XINKANG RD., XINYANG INDUSTRIAL ZONE, HAICANG DISTRICT  
XIAMEN, FUJIAN, 361028 CHINA**

**EVALUATION SUBJECT:**

**EPA WATERSENSE - PLUMBING SUPPLY FITTINGS**



Look for the trusted marks of Conformity!

*“2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence”*



A Subsidiary of INTERNATIONAL CODE COUNCIL

*ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.*



**ICC-ES PMG Listing****PMG-1201**

Effective Date: December 2014

This listing is subject to re-examination in one year.

[www.icc-es.org/pmg](http://www.icc-es.org/pmg) | (800) 423-6587 | (562) 699-0543 A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING  
Section: 22 09 00—Instrumentation and Control for Plumbing

## Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system

Product: Plumbing Supply Fittings

Listee: Xiamen Sprint Showers Technology Co. Ltd.  
No. 9 Xinkang Rd., Xinyang Industrial Zone, Haicang District  
Xiamen, Fujian, 361028 CHINA

## Additional listees:

House Simple Products, Inc.  
3400 S Wolcott Ave. Suite A  
Chicago, IL 60608Homeworks Worldwide, LLC  
500 Bond Street  
Lincolnshire, IL 60609

## Compliance with the following standards:

EPA WaterSense Specification for Showerheads (Version 1.0, March 4 2010)

## Identification:

Supply fittings shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured.
- (c) the ICC-ES PMG listing mark

Markings shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings shall be located in such a way that they are visible after installation.

Shower heads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate, in L/min and gpm.

Packaging shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark as well as the model number; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured as well as the model number.
- (c) the EPA WaterSense label

Packaging or other included literature for shower heads and hand-held showers shall be marked with (a) the manufacturer's specified maximum flow rate determined; and (b) the statement "For use with automatic compensating valves rated at xxx L/min (yyy gpm) or less", where xxx L/min (yyy gpm) is the lowest minimum flow rate recorded.

**Installation:**

Supply fittings are to be installed in accordance with the manufacturer's instructions and the applicable codes.

**Models:**

**Xiamen Sprint Showers Technology – AeroTek Brand**

Certification Date	Model Number	Maximum Rated Flow Rate (gpm)	Minimum Rated Flow Rate (gpm) at 45 psi	Description
12/01/13	SS600203-*	2.0	1.5	3-settings oxygenics handheld shower, with matching faceplate
12/01/13	SS600205-*	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate
12/01/13	SS600215-*	2.0	1.5	5-settings oxygenics handheld shower
12/01/13	SS600225-*	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate
12/01/13	DS600203-*	2.0	1.5	3-settings oxygenics showerhead, with matching faceplate
12/01/13	DS600205-*	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate
12/01/13	DS600215-*	2.0	1.5	5-settings oxygenics showerhead
12/01/13	DS600225-*	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate

\*Surface Finishes

WHT: White

CP: Chrome

BNP: Nickel

**Additional Companies: House Simple Products – House Simple Products Brand**

Certification Date	Model Number	Maximum Rated Flow Rate (gpm)	Minimum Rated Flow Rate (gpm) at 45 psi	Description and additional Info
12/01/13	3003H45**-BL	2.0	1.5	3-settings oxygenics handheld shower, with matching faceplate
12/01/13	3005H41**-BL	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate
12/01/13	3005H40**-BL	2.0	1.5	5-settings oxygenics handheld shower
12/01/13	3005H42**-BL	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate
12/01/13	3003W45**-BL	2.0	1.5	3-settings oxygenics showerhead, with matching faceplate
12/01/13	3005W41**-BL	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate
12/01/13	3005W40**-BL	2.0	1.5	5-settings oxygenics showerhead
12/01/13	3005W42**-BL	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate

\*Surface Finish:  
 WW: White Finish  
 CCF: Chrome Finish  
 NNF: Nickel Finish

**Additional Companies: House Simple Products – Tuscany Brand**

Certification Date	Model Number	Maximum Rated Flow Rate (gpm)	Minimum Rated Flow Rate (gpm) at 45 psi	Description and additional Info
12/01/13	678-8000	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, White Finish
12/01/13	678-8001	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, Chrome Finish
12/01/13	678-8002	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, Nickel Finish
12/01/13	678-8005	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, White Finish
12/01/13	678-8006	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Chrome Finish
12/01/13	678-8007	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Nickel Finish

**Additional Companies: Homewerks Worldwide – AQUAVISTA Brand**

Certification Date	Model Number	Maximum Rated Flow Rate (gpm)	Minimum Rated Flow Rate (gpm) at 45 psi	Description and additional Info
12/01/13	3073-052	2.0	1.5	3-settings oxygenics showerhead, with matching faceplate, White Finish
12/01/13	3073-051	2.0	1.5	3-settings oxygenics showerhead, with matching faceplate, Chrome Finish
12/01/13	3073-053	2.0	1.5	3-settings oxygenics showerhead, with matching faceplate, Nickel Finish
12/01/13	3071-052	2.0	1.5	3-settings oxygenics handheld shower, with matching faceplate, White Finish
12/01/13	3071-051	2.0	1.5	3-settings oxygenics handheld shower, with matching faceplate, Chrome Finish
12/01/13	3071-053	2.0	1.5	3-settings oxygenics handheld shower, with matching faceplate, Nickel Finish
12/01/13	3073-054	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, White Finish
12/01/13	3073-055	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, Chrome Finish
12/01/13	3073-056	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate, Nickel Finish
12/01/13	3071-054	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, White Finish
12/01/13	3071-055	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Chrome Finish
12/01/13	3071-056	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Nickel Finish
12/01/13	3073-057	2.0	1.5	5-settings oxygenics showerhead, White Finish
12/01/13	3073-058	2.0	1.5	5-settings oxygenics showerhead, Chrome Finish

12/01/13	3073-059	2.0	1.5	5-settings oxygenics showerhead, Nickel Finish
12/01/13	3071-057	2.0	1.5	5-settings oxygenics handheld shower, White Finish
12/01/13	3071-058	2.0	1.5	5-settings oxygenics handheld shower, Chrome Finish
12/01/13	3071-059	2.0	1.5	5-settings oxygenics handheld shower, Nickel Finish
12/01/13	3073-060	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate
12/01/13	3073-061	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate
12/01/13	3073-062	2.0	1.5	5-settings oxygenics showerhead, with matching faceplate
12/01/13	3071-060	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, White Finish
12/01/13	3071-061	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Chrome Finish
12/01/13	3071-062	2.0	1.5	5-settings oxygenics handheld shower, with matching faceplate, Nickel Finish

Conditions of Listing:

1. The Sprint Showers supply fittings recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable code.
2. The Sprint Showers supply fittings recognized in this listing are manufactured by Xiamen Sprint Showers Technology Co. Ltd. in China under a quality control program with annual surveillance inspections by ICC-ES.

