



*Most Widely Accepted and Trusted*

# ICC-ES Listing Report

ICC-ES | (800) 423-6587 | (562) 699-0543 | [www.icc-es.org](http://www.icc-es.org)

## ESL-1034

Reissued 01/2018

This listing is subject to renewal 01/2019.

**DIVISION: 09 00 00—FINISHES**  
**SECTION: 09 29 00—GYPSUM BOARD**

**REPORT HOLDER:**

**PANEL REY, S.A.**

**CARRETERA MONTERREY-MONCLOVA km 11.5**  
**EL CARMEN, NUEVO LEON 66550**  
**MEXICO**

**EVALUATION SUBJECT:**

**PANEL REY® FIRE REY <sup>1</sup>/<sub>2</sub>-INCH AND <sup>5</sup>/<sub>8</sub>-INCH GYPSUM BOARDS**



**Look for the trusted marks of Conformity!**

*"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"*



A Subsidiary of

*ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.*



## ICC-ES Listing Report

**ESL-1034**

Reissued January 2018

*This listing is subject to renewal January 2019.*

[www.icc-es.org](http://www.icc-es.org) | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

**CSI:** DIVISION: 09 00 00—FINISHES  
Section: 09 29 00—Gypsum Board

### Product Certification System:

The ICC-ES product-certification system includes evaluating reports of tests of standard manufactured product, prepared by accredited testing laboratories and provided by the listee, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the listee's quality system.

**Product:** Panel Rey® Fire Rey 1/2-inch and 5/8-inch Gypsum Boards

**Listee:** PANEL REY, S.A.  
CARRETERA MONTERREY-MONCLOVA km 11.5  
EL CARMEN, NUEVO LEON 66550  
MEXICO  
+52 (81) 83053800  
[www.panelrey.com](http://www.panelrey.com)

**Evaluation:** Panel Rey® Fire Rey 1/2-inch and 5/8-inch Gypsum Boards were evaluated based on the following standards:

- UL 723-2008 (revisions through September 2010) and UL 723-03 (revisions through May 2005), Standard for Test for Surface Burning Characteristics for Building Materials, Underwriters Laboratories, Inc.
- ASTM E84-2013A, ASTM E84-09 and ASTM E84-07, Standard Test Method for Surface Burning Characteristics of Building Materials, ASTM International.

**Findings:** Panel Rey® Fire Rey 1/2-inch and 5/8-inch Gypsum Boards have a flame spread index of 25 or less and a smoke-developed index of 450 or less, per UL 723/ASTM E84, as referenced in the applicable sections of the following code editions:

- 2015, 2012 and 2009 *International Building Code*®  
Applicable Section: 803.1.1
- 2015, 2012 and 2009 *International Residential Code*®  
Applicable Section: R302.9

**Identification:** Each Fire Rey gypsum board is identified with the manufacturer's name (Panel Rey, S.A.), a plant identifier and date code, the product name, the board thickness, the ICC-ES Evaluation Report Number (ESR-3830) and/or ICC-ES Listing Report Number (ESL-1034), and when applicable, the ICC-ES listing mark.

**Installation:** The product must be installed in accordance with Panel Rey's published installation instructions and applicable codes.

### Conditions of listing:

1. Additional attributes and their applications can be found in the ICC-ES Evaluation Report, ESR-3830.
2. The listing report addresses only conformance with the standards and code sections noted above.
3. Approval of the product's use is the sole responsibility of the local code official.
4. The listing report applies only to the materials tested and as submitted for review by ICC-ES.