

ICC-ES Report

PMG-1351

Reissued 11/20/2017

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 12/2018

EVALUATION SUBJECT:

PLUMBING SUPPLY FITTINGS

DIVISION:

22 00 00—PLUMBING

SECTION:

22 09 00—INSTRUMENTATION AND CONTROL FOR
PLUMBING

Report Holder:

SYMMONS INDUSTRIES, INC.

31 BROOKS DRIVE
BRAINTREE, MA 02184



Look for the ICC-ES marks of Conformity!



ICC-ES PMG Product Certificate

PMG-1351

Effective Date: December 2017

Revision Date: November 20, 2017

This listing is subject to re-examination in one year.



www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Plumbing Supply Fittings

Listee: Symmons Industries, Inc.
31 Brooks Dr.
Braintree, MA 02184
www.symmons.com

Compliance with the following codes:

2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2018, 2015, 2012 and 2009 *International Residential Code*® (IRC)
2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*
2015, 2010 and 2005 *National Plumbing Code of Canada*® (NPC)**

* Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of National Research Council Canada

Compliance with the following standards:

ASME A112.18.1/CSA B125.1-2012, Plumbing Supply Fittings
NSF/ANSI 61-2016 Drinking Water System Components – Health Effects

Identification:

Plumbing Supply fittings shall be marked with:

- The manufacturer's recognized name, trademark, or other mark; or
- In the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured.
- The ICC-ES PMG listing mark

Shower heads and hand-held showers shall be marked with the manufacturer's specified maximum flowrate, in L/min and gpm.

Markings shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings shall be located in such a way that they are visible after installation.

Packaging shall be marked with:

- a) The manufacturer's recognized name, trademark, or other mark as well as the model number; or
- b) In the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured as well as the model number.

Packaging or other included literature for shower heads and hand-held showers shall be marked with

- a) the manufacturer's specified maximum flow rate determine through testing;
- b) the statement "For use with automatic compensating valves rated at xxx L/min (yyy gpm) or less", where xxx L/min (yyy gpm) is the lowest minimum flow rate.

Installation:

Plumbing Supply fittings shall be installed in accordance with the manufacturer's instructions and the applicable codes.

Models:

The following Lavatory Faucet model complies with ASME A112.18.1/CSA B125.1 and NSF/ANSI 61.

Model Number	Description
SLW-3522-X-1.5	Lavatory Faucet, Wide Spread, Dia Short Spout
SLW-0600-BODY SLW-0600-12-1.0-TRM	Widespread Lavatory Faucet, Body Widespread Lavatory Faucet, Trim
SLW-0600-BODY SLW-0600-12-1.0-ADA-TRM	Widespread Lavatory Faucet, with lever handles, Body Widespread Lavatory Faucet, with lever handles, Trim

"X" represents various handles available (blank, H2, H3)

The following Showerhead and Handheld Shower models comply with ASME A112.18.1/CSA B125.1.

Model Number	Description
4-143-*	Showerhead, 3 Mode
4-241-*	Showerhead, 1 Mode
EF-100-*	Hand Shower Wand, 1 Mode
H301-V-*	Hand Shower Assembly, 1 Mode, Less Bar
EF-101-*	Hand Shower Wand, 3 Mode
H303-V-*	Hand Shower System, 3 Mode, Less Bar
H323-V-*	Hand Shower System, 3 Mode, With Bar
EF-118-*	Hand Shower Wand, 1 Mode
H421-V-*	Hand Shower System, 1 Mode, With Bar
EF-119-*	Hand Shower Wand, 3 Mode
H403-V-*	Hand Shower System, 3 Mode, Less Bar
H423-V-*	Hand Shower System, 3 Mode, With Bar
462W-*	Hand Shower Wand, 1 Mode
H501-V-*	Hand Shower System, 1 Mode. Less Bar
H521-V-*	Hand Shower System, 1 Mode. With Bar
CDS0421-3504CYL1.5ETCHTRM	Ronald McDonald House, Hand Shower System, 1 Mode with bar, 1.5 GPM
CDS0421-3503CYL1.5ETCHTRM	Ronald McDonald House, Hand Shower System, 1 Mode with bar, 1.5 GPM

Asterisk represents the various maximum flow rates available (2.5 gpm, 2.0 gpm, 1.5 gpm)

Conditions of listing:

1. The Symmons' products recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
2. The Symmons' products recognized in this listing are manufactured in Braintree, Massachusetts under a quality control program with annual surveillance inspections by ICC-ES.