

# ICC-ES Evaluation Report


ESR-1150

Reissued March 2025

Subject to renewal March 2027

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.

Copyright © 2025 ICC Evaluation Service, LLC. All rights reserved.

<b>DIVISION: 07 00 00— THERMAL AND MOISTURE PROTECTION</b>  <b>Section: 07 31 29— Wood Shingles and Shakes</b>	<b>REPORT HOLDER:</b>  <b>COPPER RIVER SHAKE AND SHINGLE LTD</b>	<b>EVALUATION SUBJECT:</b>  <b>WESTERN RED CEDAR SHAKES AND SHINGLES</b>	
--	--	--	---

## 1.0 EVALUATION SCOPE

**Compliance with the following codes:**

- 2009 and 2006 [International Building Code® \(IBC\)](#)
- 2009 and 2006 [International Residential Code® \(IRC\)](#)
- 2013 *Abu Dhabi International Building Code* (ADIBC)<sup>†</sup>

<sup>†</sup>The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

- 1997 *Uniform Building Code™* (UBC)

**Property evaluated:**

- Roof covering

## 2.0 USES

The Copper River Shake and Shingle Ltd. western red cedar shakes and shingles are wood roof covering materials for use where the codes permit nonclassified (IBC and IRC) or nonrated (UBC) roof covering.

## 3.0 DESCRIPTION

The western red cedar shakes (non-preserved-treated) are manufactured in accordance with the grading rules specified in Section 1507.9.6 of the 2009 IBC, Section 1507.9.5 of the 2006 IBC, Section R905.8.5 of the 2009 and 2006 IRC and UBC Standard 15-3. The western red cedar shingles (non-preserved-treated) are manufactured in accordance with the grading rules specified in Section 1507.8.5 of the 2009 IBC, Section 1507.8.4 of the 2006 IBC, Section R905.7.4 of the 2009 and 2006 IRC and UBC Standard 15-4.

## 4.0 DESIGN AND INSTALLATION

The western red cedar shakes must be installed in accordance with Section 1507.9 of the 2009 and 2006 IBC or Section R905.8 of the 2009 and 2006 IRC, as applicable. The Western red cedar shingles must be installed in accordance with, as applicable, Section 1507.8 of the 2009 and 2006 IBC, Section R905.7 of the 2009 and 2006 IRC, or UBC Table 15-B-2.

## 5.0 CONDITIONS OF USE:

The Copper River Shake and Shingle Ltd. western red cedar shakes and shingles described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 Products shall be identified as shown in Figure 1 of this report.
- 5.2 Products shall be manufactured at 9550 - 228 Street, Maple Ridge, British Columbia, Canada, with inspections by ICC-ES.
- 5.3 Products shall be installed as noted in Section 4.0 of this report.

6.0 EVIDENCE SUBMITTED

- 6.1 Quality control manual.
- 6.2 Label facsimiles.
- 6.3 Inspection procedures of the inspection agency.

7.0 IDENTIFICATION

- 7.1 Each bundle of shakes or shingles shall be labeled as noted in Figure 1 of this report. Each pallet shall have a pallet release tag showing the mill name (Copper River Shake and Shingle), mill address, packing date, product type, evaluation report number (ESR-1150), and the dated signature of the responsible person releasing the material.
- 7.2 The report holder's contact information is the following:

**COPPER RIVER SHAKE AND SHINGLE LTD.**  
**9550-288<sup>th</sup> STREET**  
**MAPLE RIDGE, BRITISH COLUMBIA V2W 1L1**  
**CANADA**  
**(604) 309-4582**



FIGURE 1