



ICC-ES PMG Product Certificate



PMG-1051

Effective Date: July 2024

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 14 13—Facility Storm Drainage Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Zurn Roof Drain

Listee: Zurn Water, LLC
1801 Pittsburgh Ave.
Erie, Pennsylvania 16502
www.zurn.com

Compliance with the following codes:

2024, 2021, 2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2024, 2021, 2018, 2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*

**Uniform Plumbing Code is a copyrighted publication of the International Association of the Plumbing and Mechanical Officials*

Compliance with the following standard:

ICC-ES LC1021-2010 PMG Listing Criteria for Roof Drains with Integral Overflow Drain or Air Vent
IGC 187-2012 Roof Drains with Integral Overflow or Air Vent
ASME A112.6.4/CSA B79.4-2022 Roof, Deck, and Balcony Drains

Identification:

The Roof Drain must be permanently and legibly marked with the manufacturer's name or trademark, the model number and ICC-ES PMG listing mark.

Packaging for the product is marked with the product code and the ICC-ES PMG listing mark.

Installation:

The Roof Drain must be installed in accordance with the applicable code and the manufacturer's published installation instructions.

Models:

100C3-*
100C4-*
100C5-*
100C6-*
100C8-*
200C3

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

200C4

200C5

200C6

***OFS—OverFlow Strainer model; LP-OFS—Low Profile OverFlow Strainer model; VEP—Vent Pipe model (formally –VP); ULP—OFS Ultra Low Profile Over Flow Strainer Model.**

Conditions of listing:

1. Primary and secondary roof drain systems must be designed and sized in accordance with the applicable codes.
2. The vent pipe, when used, must be sized and extend above the roof as required by the applicable code.
3. The vent pipe extension must be permanently identified as a vent pipe.
4. The vent pipe extension material must conform to the applicable plumbing code.
5. The Roof Drains are under a quality control program with annual surveillance inspections by ICC-ES.