



CSI: DIVISION: 22 00 00 — PLUMBING
Section: 22 30 00 — Plumbing Equipment

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Lead Free - Flexible Water Connectors (Stainless Steel)

Listee: RectorSeal, LLC
2601 Spenwick Drive
Houston, TX 77055
www.rectorseal.com

Additional listees:

Ameriflow / Krystal Pure
7440 S. Priest Drive
Tempe, AZ 85283

Plumbmaster, Inc.
4056 Calle Platino
Oceanside, CA 92056

Bradford White Corporation
200 Lafayette Street
Middleville, MI 49333

Compliance with the following codes:

Not applicable

Compliance with the following standard:

NSF/ANSI/CAN 372 – 2022, Drinking Water System Components – Lead Content
Reduction of Lead in Drinking Water Act, California Health and Safety Code 116875
S.3874 Reduction of Lead in Drinking Water Act

Identification:

Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the Low Lead ICC-ES PMG mark of conformity.

Installation:

The installation of all flexible connectors must be in a location with access. Flexible water connector recognized in this listing shall be installed with manufacturer's published installation instructions and the applicable codes.

Models:**Brand Name: Falcon Stainless**

<u>Model Number</u>	<u>Product Description</u>
FF	3/4" I.D. SS FLEX with 3/4" FIP X 3/4" FIP (Available in lengths of 6, 12, 15, 18, 24, 36, and 48 inches)
FM-1x18	1"MIP x 1"FIP
FM-1x24	1"MIP x 1"FIP
FM-15	3/4"FIP x 3/4"MIP
FM-18	3/4"FIP x 3/4"MIP
FM-24	3/4"FIP x 3/4"MIP
FSP-18	3/4"FIP x 7/8" copper pro-press x 18"
FSP-24	3/4"FIP x 7/8" copper pro-press x 24"
SWTxFEMx15	3/4"Copper Sweat x 3/4"FIP
SWTxFEMx18	3/4"Copper Sweat x 3/4"FIP
SWTxFEMx24	3/4"Copper Sweat x 3/4"FIP
SWT-1	1"Copper Sweat x 1"FIP
SWC1x12	1"FIP x 1"FIP
SWC1x18	1"FIP x 1"FIP
SWC1x24	1"FIP x 1"FIP
SWC1x36	1"FIP x 1"FIP
SWC1x48	1"FIP x 1"FIP
SWC1x3/4x18	1"FIP x 3/4"FIP
SWC1x3/4x24	1"FIP x 3/4"FIP
SWCN-1143/4x15"	3/4"I.D.SS FLEX w 1-1/4"FIP NYLON x 3/4"FIP
SWCN-1143/4x18"	3/4"I.D.SS FLEX w 1-1/4"FIP NYLON x 3/4"FIP
SWCN-1143/4x24"	3/4"I.D.SS FLEX w 1-1/4"FIP NYLON x 3/4"FIP
SWCN-1141x12"	1"I.D.SS FLEX w 1-1/4"FIP NYLON x 1"FIP
SWCN-1141x15"	1"I.D.SS FLEX w 1-1/4"FIP NYLON x 1"FIP
SWCN-1141x18"	1"I.D.SS FLEX w 1-1/4"FIP NYLON x 1"FIP
SWCN-1141x24"	1"I.D.SS FLEX w 1-1/4"FIP NYLON x 1"FIP
SWC114x18	1-1/4"FIP x 1-1/4"FIP
SWC114x24	1-1/4"FIP x 1-1/4"FIP
SWC112x18	1-1/2"FIP x 1-1/2"FIP
SWC112x24	1-1/2"FIP x 1-1/2"FIP
SWC2x18	2"FIP x 2"FIP
SWC2x24	2"FIP x 2"FIP
T-07x9	7/8"Ballcock x 1/2"FIP
T-07x12	7/8"Ballcock x 1/2"FIP
T-06 x 9	7/8"Ballcock x 3/8"Comp
T-06 x 12	7/8"Ballcock x 3/8"Comp
S-01x12	3/8"Comp x 3/8"Comp

<u>Model Number</u>	<u>Product Description</u>
S-01x16	3/8"Comp x 3/8"Comp
S-01x26	3/8"Comp x 3/8"Comp
S-01x48	3/8"Comp x 3/8"Comp
S-01x60	3/8"Comp x 3/8"Comp
S-02x12	1/2" FIP X 1/2" FIP
S-02x16	1/2" FIP X 1/2" FIP
S-02x20	1/2" FIP X 1/2" FIP
S-02x30	1/2" FIP X 1/2" FIP
S-02x36	1/2" FIP X 1/2" FIP
S-02x60	1/2" FIP X 1/2" FIP
S-03 x 12"	1/2" FIP x 3/8" Comp
S-03 x 16"	1/2" FIP x 3/8" Comp
S-03 x 20"	1/2" FIP x 3/8" Comp
S-03 x 30"	1/2" FIP x 3/8" Comp
ClackQCx3/4"x18"	ClackQCx3/4"FIPx18" *includes connector housing only
ClackQCx1"x18"	ClackQCx1"FIPx18" *includes connector housing only
ClackQCx1"x24"	ClackQCx1"FIPx24" *includes connector housing only
ClackQCxQCx18"	ClackQCxQCx18" *includes connector housing only
ClackQCxQCx24"	ClackQCxQCx24" *includes connector housing only
SWCN13434-12"	1-3/4"-12UN Nylonx3/4"FIPx12"
SWCN13434-18"	1-3/4"-12UN Nylonx3/4"FIPx18"
SWCN1341-12"	1-3/4"-12UN Nylonx1"FIPx12"
SWCN1341-18"	1-3/4"-12UN Nylonx1"FIPx18"
H3402	3/4 FIP x 3/4 FIP
H3403	3/4 FIP x 3/4 MIP
H3404	3/4 Copper Sweat x 3/4 FIP
H3405	1" x 3/4" 18"
H3405	1" x 3/4" 24"
H3406 (SWC34006)	Ultra-Flex 3/4"
H3406 (SWC34012)	Ultra-Flex 3/4"
H3406 (SWC34015)	Ultra-Flex 3/4"
H3406 (SWC34018)	Ultra-Flex 3/4"
H3406 (SWC34024)	Ultra-Flex 3/4"
PTC 1/2" - JG x 3/4" FIP	1/2" PTC x 3/4" FIP
PTC 1/2" - JG x 3/4" FIP	1/2" PTC x 3/4" FIP
PTC34JG-18	3/4" FIP x 3/4" JG Push-to-connect x 18"
PTC34JG-24	3/4" FIP x 3/4" JG Push-to-connect x 24"
PTC34JG - 114	3/4" JG PTC x 1-1/4" FIP x 18"
PTC34JG - 114n	3/4" JG PTC x 1-1/4" nylon FIP x 18"
PTC34JG - 1n	3/4" JG PTC x 1" nylon FIP x 18"
PTC1-JG1	1" JG PTC x 1" FIP x 18"
PTC1-JG1n	1" JG PTC x 1" nylon FIP x 18"
PTC-JG1xCIk QC	1" PTC x CLK QC
PTC-JG1xCIk QC	1" PTC x CLK QC
PTC1-JGx1 3/4" N FIP	1" PTC x 1 3/4" Nylon FIP
PTC34-JGx1 3/4" N FIP	3/4" PTC x 1 3/4" Nylon FIP
PTC34JGxCIk QC	3/4" PTC x CLK QC
PTC-JG1xCIk QC	1" PTC x CLK QC
PTCPTC34	3/4" JG PTC x 3/4" JG PTC x 18"
C6012	316 Coil 1/2" ID

<u>Model Number</u>	<u>Product Description</u>
C6034	316 Coil ¾" ID
C601	316 Coil 1" ID
GFF030412	¾" O.D. with ¾" FIP x ¾" x 12"
GFF030415	¾" O.D. with ¾" FIP x ¾" x 15"
GFF030418	¾" O.D. with ¾" FIP x ¾" x 18"
GFF030424	¾" O.D. with ¾" FIP x ¾" x 24"
PEX-GF*	½" PEX Connection
UPEX-GF**	½" PEX Connection (Viega / Uponor)
UPEX-FXP**	½" PEX Connection (Viega / Uponor)
UPEX-FXP1-18**	1" I.D. SSC with 1" FIP x 1" Uponor PEX Barb x 18"
UPEX-FXP1-24**	1" I.D. SSC with 1" FIP x 1" Uponor PEX Bard x 24"
UPEX-FXP-18**	¾" I.D. SSC with ¾" FIP x ¾" Uponor PEX Barb x 18"
UPEX-FXP-24**	¾" I.D. SSC with ¾" FIP x ¾" Uponor PEX Barb x 24"
FLECK-5810/12-112-18	Fleck 5810-12 x 1-1/2" FIP x 18 on a 1-1/4" tube
FLECK-5810/12-112-24	Fleck 5810-12 x 1-1/2" FIP x 18 on a 1-1/4" tube
FLECK-5810/12-114-18	Fleck 5810-12 x 1-1/4" FIP x 18 on a 1-1/4" tube
FLECK-5810/12-114-24	Fleck 5810-12 x 1-1/4" FIP x 18 on a 1-1/4" tube
FLECK-5810/12-PC1JG-18	Fleck 5810-12 x 1" JGPTC 18"
FLECK-5810/12-PTC1JG-24	Fleck 5810-12 x 1" JGPTC 24"

*model with PEX end connection complying with ASTM F1807.

**models with PEX end connection, for use with Viega and Uponor pex tubing only.

Additional Listees Models:

Ameriflow/Krystal Pure

<u>Model Number</u>	<u>Description</u>
H-3405	1"FIPx¾"FIPx18"

Plumbmaster

<u>Model Number</u>	<u>Description</u>
51250	¾"FIP x ¾"FIP x 12"
51251	¾"FIP x ¾"FIP x 18"
51252	¾"FIP x ¾"FIP x 24"
51253	¾" copper sweat x ¾" FIP x 15"
51254	¾" copper sweat x ¾" FIP x 18"
51255	¾" copper sweat x ¾" FIP x 24"
51256	1"FIP x 1"FIPx12"
51257	1"FIP x 1"FIP x 18"
51258	1"FIP x 1"FIP x 24"
51270	1"FIP x ¾"FIP x 18"
51271	1"FIP x ¾"FIP x 24"

Bradford White

<u>Model Number</u>	<u>Description</u>
239-47835-01	5/8" CSS tube Flare x Flare x 9"
239-47835-02	5/8" CSS tube Flare x Flare x 12.5"
239-49617-01	¾" CSS tube Flare x Flare x 16.25"
239-49617-02	¾" CSS tube Flare x Flare x 32.75"

Conditions of Listing:

1. The flexible water connectors recognized in this listing shall be installed in accordance with manufacturer's installation instructions and applicable codes.
2. The flexible water connectors are manufactured in Zhejiang, China under a quality control program with annual inspection by ICC-ES.