

*Effective Date: April 2025**This listing is subject to re-examination in one year.*[www.icc-es-pmg.org](http://www.icc-es-pmg.org) | (800) 423-6587 | (562) 699-0543*A Subsidiary of the International Code Council®*

CSI: DIVISION: 22 00 00—PLUMBING  
Section: 22 40 00—Plumbing Fixtures (Shower Pan Liner)

DIVISION: 09 00 00—FINISHES  
Section: 09 30 00—Tiling

**Product certification system:**

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: HYDRO BAN® Sheet Membrane

Listee: LATICRETE International, Inc  
One LATICRETE Park North  
Bethany, CT 06524  
[www.laticrete.com](http://www.laticrete.com)

**Compliance with the following codes:**

2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)  
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Plumbing Code*® (IPC)  
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *Uniform Plumbing Code*® (UPC)\*  
2020, 2015, 2010 and 2005 National Plumbing Code of Canada® (NPC)\*\*

*\*Copyrighted publication if the International Association of Plumbing and Mechanical Officials*

*\*\*National Plumbing Code of Canada is a copyrighted publication of the National Research Council Canada*

**Compliance with the following standard:**

TCNA/ANSI A118.10-2023, American National Standard Specification for Load Bearing, Bonded, Waterproof Membranes fir Thin-Set Ceramic Tile and Dimension Stone Installation  
ICC-ES AC 115-2016 Acceptance Criteria for Waterproof membranes for Flooring and Shower Lining

**Identification:**

Each roll shall be clearly labelled. The label shall include at a minimum the manufacturer's name or Trademark as well as the ICC-ES PMG certification mark.

**Installation:**

LATICRETE Sheet Membrane shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Ceramic tile must comply with ANSI A137.1

When provided with a clamping ring with open weep holes, the drains shall be installed in accordance with ASME A112.6.3 or ASME A112.18.2/CSA B125.2 (latest edition) as applicable.

**Models:**

HYDRO BAN Sheet Membrane: Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

HYDRO BAN Sealing Tape: Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

HYDRO BAN Corners: Pre-formed interior and exterior angles comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens

HYDRO BAN Collars: Flashings for pipe penetrations formed from an interior layer of polyurethane and two exterior polypropylene nonwovens

**Conditions of Listing:**

1. Application is limited to use as shower sub-pans or lining for showers or tub surrounds in steam rooms and steam showers, bathrooms and commercial and residential kitchens, backsplashes on walls and floors in wet areas.
2. Product is manufactured under a quality control program with annual surveillance inspections by ICC-ES.