

# ICC-ES PMG Product Certificate 🐯





**PMG-1352** 

Effective Date: December 2023
This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING

Section: 22 09 00—Instrumentation and Control for Plumbing

#### Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system

Product: Showerheads and Hand-held Showers

Listee: Symmons Industries, Inc.

31 Brooks Dr.

Braintree, MA 02184 www.symmons.com

Compliance with the following standards:

EPA WaterSense Specification for Showerheads (Version 1.1, July 26, 2018)

### Identification:

Showerheads and hand-held showers shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured.

Markings shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings shall be located in such a way that they are visible after installation.

Packaging shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark as well as the model number; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured as well as the model number.
- (c) the EPA WaterSense label
- (d) the ICC-ES PMG listing mark
- (e) the manufacturer's specified maximum flow rate, in L/min and gpm.

Packaging or other included literature for shower heads and hand-held showers shall be marked with

- (a) the manufacturer's specified maximum flow rate determined; and
- (b) the statement "For use with automatic compensating valves rated at xxx L/min (yyy gpm) or less", where xxx L/min (yyy gpm) is the lowest minimum flow rate recorded.



Installation:

Showerheads and hand-held showers are to be installed in accordance with the manufacturer's instructions and the applicable codes.

## Models:

anad Nia

Certification Date	Model Number	Maximum Rated Flow Rate (gpm)	1Description
12/9/15	4-143-2.0	2.0	Showerhead, 3 Mode
12/9/15	4-143-1.5	1.5	Showerhead, 3 Mode
12/9/15	4-241-2.0	2.0	Showerhead, 1 Mode
12/9/15	4-241-1.5	1.5	Showerhead, 1 Mode
12/9/15	EF-100-2.0	2.0	Hand Shower Wand, 1 Mode
12/9/15	EF-100-1.5	1.5	Hand Shower Wand, 1 Mode
12/9/15	H301-V-2.0	2.0	Hand Shower Assembly, 1 Mode, Less Bar
12/9/15	H301-V-1.5	1.5	Hand Shower Assembly, 1 Mode, Less Bar
12/9/15	EF-101-2.0	2.0	Hand Shower Wand, 3 Mode
12/9/15	EF-101-1.5	1.5	Hand Shower Wand, 3 Mode
12/9/15	H303-V-2.0	2.0	Hand Shower Assembly, 3 Mode, Less Bar
12/9/15	H303-V -1.5	1.5	Hand Shower Assembly, 3 Mode, Less Bar
12/9/15	H323-V-2.0	2.0	Hand Shower Assembly, 3 Mode, With Bar
12/9/15	H323-V-1.5	1.5	Hand Shower Assembly, 3 Mode, With Bar
12/9/15	EF-118-2.0	2.0	Hand Shower Wand, 1 Mode
12/9/15	EF-118-1.5	1.5	Hand Shower Wand, 1 Mode
12/9/15	H421-V-2.0	2.0	Hand Shower Assembly, 1 Mode, With Bar
12/9/15	H421-V-1.5	1.5	Hand Shower Assembly, 1 Mode, With Bar
12/9/15	EF-119-2.0	2.0	Hand Shower Wand, 3 Mode
12/9/15	EF-119-1.5	1.5	Hand Shower Wand, 3 Mode
12/9/15	H403-V-2.0	2.0	Hand Shower Assembly, 3 Mode, Less Bar

12/9/15	H403-V-1.5	1.5	Hand Shower Assembly, 3 Mode, Less Bar
12/9/15	H423-V-2.0	2.0	Hand Shower Assembly, 3 Mode, With Bar
12/9/15	H423-V-1.5	1.5	Hand Shower Assembly, 3 Mode, With Bar
12/9/15	462W-2.0	2.0	Hand Shower Wand, 1 Mode
12/9/15	462W-1.5	1.5	Hand Shower Wand, 1 Mode
12/9/15	H501-V-2.0	2.0	Hand Shower Assembly, 1 Mode, Less Bar
12/9/15	H501-V-1.5	1.5	Hand Shower Assembly, 1 Mode, Less Bar
12/9/15	H521-V-2.0	2.0	Hand Shower Assembly, 1 Mode, With Bar
12/9/15	H521-V-1.5	1.5	Hand Shower Assembly, 1 Mode, With Bar
12/9/15	CDS0421- 3504CYL1.5E TCHTRM	1.5	Ronald McDonald House, Hand Shower System, 1 Mode with bar, 1.5 GPM
12/9/15	CDS0421- 3503CYL1.5E TCHTRM	1.5	Ronald McDonald House, Hand Shower System, 1 Mode with bar, 1.5 GPM

### Conditions of Listing:

- The Symmons' showerhead and handheld showers recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable code.
   The Symmons' showerhead and handheld showers recognized in this listing are under a quality control program with annual surveillance inspections by ICC-ES.