



CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 40 00—Plumbing Fixtures
Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system

Product: EPA WaterSense Flushing Urinals, Vitreous China

Listee: Advanced Modern Technologies Corp. (AMTC)
8367 Canoga Park
Canoga Park, CA 91304
www.amtcorpation.com

Compliance with the following standards:

EPA WaterSense Specification for Flushing Urinals (Version 1.0)

Identification:

Each fixture or fixture component must be permanently and legibly marked with the AMTC name or registered trademark and the date of manufacture. Urinals shall be permanently and visibly marked with the model number and the water consumption in GPF and LPF and the EPA WaterSense logo and the ICC-ES PMG listing mark. All packaging must be marked with the AMTC name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured. Packaging for urinals shall be marked with the water consumption in GPF and LPF.

Installation:

Urinals are to be installed in accordance with the manufacturer's instructions and the applicable code.

Models:

BRAND NAME: AMTC

Certification Date	Model Name	Model Number	Product Type	Rated Flush Volume (gpf)	Flushing Device Type
09/01/16		AUU-1018-12	Fixture	0.125	
09/01/16		AUU-1018-14	Fixture	0.125	
09/01/16		MF101812U18	System	0.125	Pressurized
09/01/16		MF101812U05	System	0.5	Pressurized
09/01/16		AEF101812U18	System	0.125	Pressurized
09/01/16		AEF101812U05	System	0.5	Pressurized
09/01/16		HSM101812U18*	System	0.125	Pressurized
09/01/16		HSM101812U05*	System	0.5	Pressurized
09/01/16		AEFHW101812U18	System	0.125	Pressurized
09/01/16		AEFHW101812U05	System	0.5	Pressurized
09/01/16		AEFC101812U18	System	0.125	Pressurized
09/01/16		AEFC101812U05	System	0.5	Pressurized
09/01/16		AEFWB101812U18	System	0.125	Pressurized
09/01/16		AEFWB101812U05	System	0.5	Pressurized
09/01/16		MF101814U18	System	0.125	Pressurized
09/01/16		MF101814U05	System	0.5	Pressurized
09/01/16		AEF101814U18	System	0.125	Pressurized
09/01/16		AEF101814U05	System	0.5	Pressurized
09/01/16		HSM101814U18*	System	0.125	Pressurized
09/01/16		HSM101814U05*	System	0.5	Pressurized
09/01/16		AEFHW101814U18	System	0.125	Pressurized
09/01/16		AEFHW101814U05	System	0.5	Pressurized

09/01/16		AEFC101814U18	System	0.125	Pressurized
09/01/16		AEFC101814U05	System	0.5	Pressurized
09/01/16		AEFWB101814U18	System	0.125	Pressurized
09/01/16		AEFWB101814U05	System	0.5	Pressurized
09/01/16		MF-700-U18	Flushometer Valve	0.125	Pressurized
09/01/16		MF-700-U05	Flushometer Valve	0.5	Pressurized
09/01/16		AEF-801-CU-18	Flushometer Valve	0.125	Pressurized
09/01/16		AEF-801-CU-05	Flushometer Valve	0.5	Pressurized
09/01/16		HSM-801-CU-18	Flushometer Valve	0.125	Pressurized
09/01/16		HSM-801-CU-05	Flushometer Valve	0.5	Pressurized
09/01/16		AEF-801-HWCU-18	Flushometer Valve	0.125	Pressurized
09/01/16		AEF-801-HWCU-05	Flushometer Valve	0.5	Pressurized
09/01/16		AEF-801-CCU-18	Flushometer Valve	0.125	Pressurized
09/01/16		AEF-801-CCU-05	Flushometer Valve	0.5	Pressurized
09/01/16		AEF-801-WBCCU-18	Flushometer Valve	0.125	Pressurized
09/01/16		AEF-801-WBCCU-05	Flushometer Valve	0.5	Pressurized

* Model Number may include the additional suffix

-AJ represents Automatic Janitor

-FG represents Flush Genie

Conditions of Listing:

1. The Advanced Modern Technologies Corp. (AMTC) models recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable code.
2. The Advanced Modern Technologies Corp. (AMTC) models recognized in this listing are under a quality control program with annual surveillance inspections by ICC-ES.