



CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 11 16—Domestic Water Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Products: Truma Pressure Reducing Regulators for Recreational Vehicles

Listee: Truma Gerätetechnik GmbH & Co. KG
Wernher-von-Braun-Straße 12
85640 Putzbrunn, Germany
www.truma.com

Compliance with the following codes:

2024, 2021, 2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2024, 2021, 2018, 2015, 2012 and 2009 *International Residential Code*® (IRC)
2024, 2021, 2018, 2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*
2022 and 2017 *Uniform Illustrated Plumbing Code - India*™ (UIPC-India)*
2020, 2015, 2010 and 2005 *National Plumbing Code of Canada*® (NPC)**

* Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of National Research Council Canada

Compliance with the following standards:

CSA Z240 RV Series-2014(R20) Recreational Vehicles
IAPMO TS 28-2006, Water Pressure Reducing Regulators for Use in Recreational Vehicles
NSF/ANSI 24-2020, Plumbing System Components for Recreational Vehicles
NSF/ANSI/CAN 61-2023, Drinking Water System Components – Health Effects

Identification:

The Truma Pressure Reducing Regulators covered by this listing must be labeled with the trademark name, potable water designation, nominal size, and standard designation. When space is limited on smaller size components, markings may be marked by means of label or packaging. Packages of fittings must bear the trademark name, product name, part number and preferably the ICC-ES PMG listing mark.

Installation:

Truma Pressure Reducing Regulators must be identified and installed in accordance with this listing, the applicable code and the manufacturer's published installation instructions. Manufacturer's published installation instructions must be furnished to the code official. Installation must conform to the requirements of the applicable code and is subject to approval by the code official having jurisdiction.

Models:

Water pressure regulator (Threaded Outlet), 2bar (30PSI)
Water pressure regulator (Push-fit Outlet), 2bar (30PSI)

Conditions of Listing:

1. The Pressure Reducing Regulators installation must be pressure-tested for leaks in the presence of the code official or the official's designated representative.
2. When installation is in fire-resistive assemblies, evidence of compliance with IBC Section 712 (penetrations) must be provided to the code official.
3. All systems must be installed in accordance with the manufacturer's installation instructions, which are provided with the product. Installation must conform to relevant requirements of the referenced codes and is subject to approval by the code official. Manufacturer's instructions must be furnished to the code official upon request.
4. The Truma Pressure Reducing Regulators are under a quality control program with annual surveillance inspections by ICC-ES.