



CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 13 16—Sanitary Waste and Vent Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Barrier Trap Seal Devices for Floor Drains

Listee: Zurn Water, LLC
1801 Pittsburgh Avenue
Erie, PA 16502
www.Zurn.com

Compliance with the following codes:

2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Plumbing Code*® (IPC)
2021, 2018, 2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *Uniform Plumbing Code*® (UPC)*
2020, 2015, 2010 and 2005 *National Plumbing Code of Canada*® (NPC)**

**Uniform Plumbing Code is a copyrighted publication of the International Association of Plumbing and Mechanical Officials*

***National Plumbing Code of Canada is a copyrighted publication of National Research Council Canada*

Compliance with the following standards:

ASSE 1072-2020, Performance Requirements for Barrier Type Floor Drain Trap Seal Protection Devices, American Society of Sanitary Engineering
ASME A112.6.3/CSA B79.3-2022, Floor Drains
ICC-ES LC1015, PMG Listing Criteria for Elastomeric, Normally Closed, Floor Drain Evaporation Resistant Sealing System (Oct 2010)

Identification:

The product and/or package must bear the manufacturer's name, the model number and the ICC-ES PMG listing mark.

Installation:

The Zurn Water, LLC devices are to be installed in accordance with the manufacturer's instructions and the applicable code.

Models:

<u>MODEL</u>	Device SIZE		FLOW RATE	
	<u>Inches</u>	<u>mm DN</u>	<u>GPM</u>	<u>L/M</u>
Z1072-2	2	51	12.0	45.4
ZPTSP-2	2	51	12.0	45.4
Z1072-3	3	76	34.0	128.7
ZPTSP-3	3	76	34.0	128.7
Z1072-3.5	3½	89	51.0	193.1
Z1072-3.5-EZ1	3½	89	51.0	193.1
Z1072-4	4	102	73.0	276.3

Conditions of listing:

1. The Zurn Water, LLC models recognized by this listing, are intended to serve as alternates to the code-required trap primer. They must serve a functioning trap.
2. The plumbing systems must be installed in accordance with the applicable codes and must be accessible.
3. The Zurn Water, LLC devices are manufactured under a quality control program with annual surveillance inspections.