



CSI: DIVISION: 22 00 00 — PLUMBING  
Section: 22 11 16 — Domestic Water Piping  
Section: 22 09 00 — Instrumentation and Control for Plumbing

## Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Automatic Shut-off Water Valves

Listee: RBM Spa  
Via S. Giuseppe 1  
25075 Nave (Brescia) Italy  
[www.rbm.eu/en/](http://www.rbm.eu/en/)

## Additional Listee:

Building36, an Alarm.com Company  
8281 Greensboro Drive, Suite 100  
Tysons, VA 22102  
[www.Building36.com](http://www.Building36.com)  
[www.alarm.com](http://www.alarm.com)

## Compliance with the following codes:

2024, 2021, 2018, 2015, 2012, 2009, and 2006 *International Plumbing Code* (IPC)  
2024, 2021, 2018, 2015, 2012, 2009, and 2006 *International Residential Code*® (IRC)  
2024, 2021, 2018, 2015, 2012, 2009, and 2006 *Uniform Plumbing Code*® (UPC)\*  
2020, 2015, 2010 and 2005 *National Plumbing Code of Canada*\*\*

\*Copyrighted publication of the International Association of Plumbing and Mechanical Officials

\*\* National Plumbing Code of Canada is a copyrighted publication of National Research Council Canada

## Compliance with the following standards:

ASME A112.4.14/CSA B125.14-2022, Manually or Automatically Operated Valves for Use in Plumbing Systems  
NSF/ANSI/CAN 61-2022, Drinking Water System Components-Health Effects  
NSF/ANSI/CAN 372-2022, Drinking Water System Components-Lead Content  
Reduction of Lead in Drinking Water Act, California Health and Safety Code 116875  
S.3874, Reduction of Lead in Drinking water Act  
IAPMO IGC 115-2013e1, Automatic Water Leak Detection Devices  
CSA B125.3-2022, Plumbing Fittings

## Identification:

Each valve and/or packaging shall be marked with following information:

- (a) Manufacturer's name or trademark.
- (b) In the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured; and
- (c) The ICC-ES PMG listing mark

## Installation:

Each water valve shall be installed in accordance with the manufacturer's installation instructions and the applicable codes.

## Model:

3/4" ISO 228-1 Stop Leak Assembly 2-40 l/min. Sensor (with Smart Valve and Shut-off Assembly)

RBM Model # 3596.05.00

B36 Model # B36-C20-EU

Alarm.com Model # ADC-SWM150-EU

1" NPT Stop Leak Assembly 5-100 l/min. Sensor (with Smart Valve and Shut-off Assembly)

RBM Model # 3596.06.20

B36 Model # B36-C20-HF

Alarm.com Model # ADC-SWM150-HF

1" NPT Stop Leak Assembly 3-60 l/min. Sensor (with Smart Valve and Shut-off Assembly)

RBM Model # 3596.06.70

B36 Model # B36-C20

Alarm.com Model # ADC-SWM150

1" NPT Shut-off Assembly (Shut-off only)

RBM Model # 3706.06.00

B36 Model # B36-C21

Alarm.com Model # ADC-SWV100

*\* Valves have been evaluated and do not contain a weighted average lead content in excess of 0.25%.*

## Conditions of Listing:

1. The water valves recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
2. The water valves recognized in this listing are under a quality control program with annual inspection by ICC-ES.