



CSI: Division: 22 00 00—PLUMBING  
Section: 22 13 16 – Sanitary Waste and Vent Piping

### Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Products: Plastic Pipe and Fittings for DWV and Sewer Applications

Listee: Genova Pipe  
1760 W. Associated Ave.  
Salt Lake City, UT 84104  
[www.genovapipe.com](http://www.genovapipe.com)

### Additional Listee:

PSP  
1760 W. Associated Ave.  
Salt Lake City, UT 84104  
[www.genovapipe.com](http://www.genovapipe.com)

### Compliance with the following codes:

2024, 2021, 2018, 2015, 2012, and 2009 *International Plumbing Code*® (IPC)  
2024, 2021, 2018, 2015, 2012, and 2009 *International Residential Code*® (IRC)  
2024, 2021, 2018, 2015, 2012 and 2009 *Uniform Plumbing Code* (UPC)\*  
2022 and 2017 *Uniform Illustrated Plumbing Code – India*™ (UIPC)\*  
2024, 2021, 2018, 2015, and 2012 *National Standard Plumbing Code* (NSPC)\*\*  
2022, 2019 and 2016 *California Plumbing Code* (CPC)\*  
2023, 2020 and 2017 *City of Los Angeles Plumbing Code*  
2023, 2021 and 2017 *Code of Massachusetts Regulations 248 CMR 10.00: Uniform State Plumbing Code*

*\*Copyrighted publication of the International Association of Plumbing and Mechanical Officials*

### Compliance with the following standards:

ASTM D2662-2024, Standard Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings  
ASTM D2665-2024, Standard Specification for Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings  
ASTM D2949-2024, Standard Specification for 3.25-in. Outside Diameter Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings

ASTM D3034-2024, Standard Specification for Type PSM Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings  
ASTM F628-2023, Standard Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe With a Cellular Core  
ASTM F891-2024, Standard Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with Cellular Core  
ASTM F1488-2014(R19), Standard Specification for Coextruded Composite Pipe  
NSF/ANSI 14-2023, Plastics Piping System Components and Related Materials

Identification:

**Piping:** The piping shall be marked every 5 feet (1.5 m) with the following:

- a) Manufacturer's name or trademark.
- b) Standard designation.
- c) Material designation or cell class.
- d) Nominal pipe size
- e) Type of Application "DWV" or "Sewer".
- f) Gasketed pipe shall be marked with insertion depth mark on the spigot end, as applicable.
- g) Date or date code of manufacture; and
- h) ICC-ES PMG mark of conformity.

**Fittings:** The fittings shall be marked with the following:

- a) Manufacturer's name or trademark.
- b) Size.
- c) Material designation.
- d) Standard designation, as applicable
- e) ICC-ES PMG mark of conformity (optional due to size limitation).

Installation:

Pipe and fittings must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern.

Models:

**GENOVA PVC Piping – Compliance with ASTM D2665**

Schedule 40

1-1/2", 2", 2-1/2", 3", 4", and 6" DIA.

**GENOVA PSM Sewer Piping – Compliance with ASTM D3034 and CSA B182.2**

SDR-35 Solvent Weld

4" and 6"

SDR 35 Gasketed Joint

4", 6", and 8"

**GENOVA PVC Cellular Core Piping – Compliance with ASTM F891**

Schedule 40

1-1/2", 2", 3", 4" and 6" DIA.

**GENOVA Composite Piping – Compliance with ASTM F1488**

ABS/ABS/ABS Schedule 40

1-1/2", 2", 3", and 4" DIA.

ABS/PVC/ABS Schedule 40

1-1/2", 2", 3", and 4" DIA.

PVC/PVC/PVC Schedule 40

1-1/2", 2", 3", and 4" DIA.

ABS/ABS/ABS DR 24

1-1/2", 2", 3", and 4" DIA.

ABS/PVC/ABS DR 24

1-1/2", 2", 3", and 4" DIA.

PVC/PVC/PVC DR 24

1-1/2", 2", 3", and 4" DIA.

### **GENOVA DWV Schedule 40 Fittings – Compliance with ASTM D2665 and D3311**

22-1/2° Elbow

708xx, 758xx

45° Elbow

706xx, 727xx, 73615, 73620

60° Elbow

709xx

90° Elbow

707xx, 727xx, 728xx, 729xx, 738xx

Adapters

703xx, 704xx, 705xx, 717xx, 721xx, 723xx, 724xx

Bushing

702xx

Cap

701xx

Cleanouts

716xx, 718xx

Closet Flange

751xx

Coupling

701xx

P-Traps

780xx, 782xx, 783xx, 784xx, 785xx, 787xx

Tees

711xx

Wyes

710xx

*xx indicates size of the fitting.*

### **GENOVA Schedule 30 DWV Fittings – Compliance with ASTM D2949**

22-1/2° Elbow

60830

45° Elbow

60630, 62730

60° Elbow

60930

90° Elbow

62830, 62936, 63031, 63131

Adapters

60330, 60430, 60530, 60543

Cap  
60153

Cleanouts  
61629, 61630

Closet Flange  
65134, 65139, 65150, 75139

Coupling  
60130, 60131, 60132, 60143

Reducing Bushings  
60231, 60232, 60243

Tees  
61130, 61131, 61132, 63530, 63532

Wyes  
61030, 61031, 61032, 63430, 63431

### **GENOVA PSM SDR-35 Fittings – Compliance with ASTM D3034 and CSA B182.2**

22-1/2° Elbow  
408xx, 458xx

45° Elbow  
406xx, 427xx

60° Elbow  
409xx

90° Elbow  
407xx, 427xx, 428xx, 429xx

Adapters  
403xx, 404xx, 405xx, 417xx, 452xx, 462xx

Bushing  
402xx, 442xx

Cap  
401xx

Cleanouts  
413xx, 414xx, 416xx, 418xx, 439xx

Coupling  
401xx

Cross  
432xx

Tees  
411xx, 414xx

Wyes  
410xx

*xx indicates the size of the fitting*

**GENOVA Coextruded ABS Cellular Core DWV Pipe – Compliance with ASTM F628 and NSF/ANSI 14**

1-1/2", 2", 3", 4", and 6" DIA.

**GENOVA ABS DWV Pipe – Compliance with ASTM D2661, CSA B181.1, and NSF/ANSI 14**

1-1/2", 2", 3", 4", and 6" DIA.

**GENOVA ABS DWV Fittings – Compliance with ASTM D2661, CSA B181.1, and NSF/ANSI 14**22-1/2° Elbow

808xx, 858xx

45° Elbow

806xx, 827xx, 836xx

60° Elbow

809xx, 859xx

90° Elbow

807xx, 827xx, 828xx, 829xx, 838xx, 839xx

Adapter

803xx, 804xx, 805xx, 817xx, 821xx, 822xx, 823xx, 824xx

Bushing

802xx, 853xx

Cap

801xx

Cleanout

814xx, 816xx, 818xx

Closet Flange

851xx

Coupling

801xx

P-Trap

880xx, 882xx, 883xx, 884xx, 885xx, 887xx

Tee

811xx, 835xx, 870xx

Wye

810xx, 825xx, 834xx, 860xx

*xx indicates size of the fitting*

**Conditions of Listing:**

1. Pipe and fittings must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern.
2. Pipe and fittings recognized in this listing are manufactured under a quality control program with surveillance inspections by ICC-ES.