



ICC-ES PMG Product Certificate

PMG-1656



Effective Date: November 2024

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 40 00—Plumbing Fixtures (Shower Pan Liner)

DIVISION: 09 00 00— FINISHES
Section: 09 30 00—Tiling

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Redgard® Fabric Membrane

Listee: Custom Building Products, Inc.
10400 Pioneer Blvd., Unit 3
Santa Fe Springs, CA 90670
www.custombuildingproducts.com

Compliance with the following codes:

- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)
- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Plumbing Code*® (IPC)
- 2024, 2021, 2018, 2015, 2012, 2009 and 2006 *Uniform Plumbing Code*® (UPC)*
- 2022, 2019, 2016, and 2013 *California Plumbing Code* (CPC)*
- 2022, 2019, 2016, and 2013 *California Residential Code* (CRC)
- 2023, 2020 and 2017 *City of Los Angeles Plumbing Code*
- 2023, 2021, 2017 and 2007 *Code of Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code*
- 2020, 2015, 2010 and 2005 *National Plumbing Code of Canada*® (NPC)**

* Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of National Research Council Canada

Compliance with the following standard:

ANSI A118.10-2023, American National Standard Specification for Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installation
ICC-ES AC115 (Aug 2013), Acceptance Criteria for Waterproof Membranes for Flooring and Shower Lining

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.



Identification:

Product shall be clearly labelled. The label shall include at a minimum the manufacturer's name or Trademark as well as the ICC-ES PMG certification mark.

Installation:

Redgard® Fabric Membrane shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Ceramic tile must comply with ANSI A137.1

When provided with a clamping ring with open weep holes, the drains shall be installed in accordance with ASME A112.6.3 or ASME A112.18.2 (latest edition) as applicable.

Models:

Redgard® Fabric Membrane: Composite sheet membrane comprised of an inner layer of polyethylene between two outer layers of polypropylene nonwovens.

Redgard® Fabric Membrane Corners: Pre-formed interior and exterior angles constructed from the Redgard® Fabric Membrane.

Redgard® Wall and Floor Gaskets: Flashings for pipe and drain penetrations formed from an interior layer of thermoplastic elastomer and two exterior polypropylene nonwovens.

Conditions of Listing:

1. Application is limited to use as shower sub-pans or lining.
2. Redgard® Fabric Membrane shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).
3. Product is manufactured under a quality control program with an annual surveillance inspection by ICC-ES.