



CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 11 16—Domestic Water Piping
Section: 22 11 00—Facility Water Distribution

DIVISION: 23 00 00—HEATING, VENTILATING AND AIR-CONDITIONING (HVAC)
Section: 23 21 13—Hydronic Piping

Product: Press Fittings: Press-connect copper fittings used in potable hot and cold-water distribution systems and hydronic heating and cooling systems

Listee: FW Webb
160 Middlesex Turnpike
Bedford, MA 01730
www.fwebb.com

Compliance with the following codes:

2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Plumbing Code*® (IPC)
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Mechanical Code*® (IMC)
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *International Residential Code*® (IRC)
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *Uniform Plumbing Code*® (UPC)*
2024, 2021, 2018, 2015, 2012, 2009 and 2006 *Uniform Mechanical Code*® (UMC)*
2022, 2019, 2016, 2013 and 2010 *California Plumbing Code* (CPC)
2022, 2019, 2016, 2013 and 2010 *California Mechanical Code* (CMC)
2023, 2020 and 2017 *City of Los Angeles Plumbing Code*
2023, 2020 and 2017 *City of Los Angeles Mechanical Code*
2023, 2021 and 2017 and 2007 *Code of Massachusetts Regulation 248 CMR 10.00: Uniform State Plumbing Code*
2023, 2021 and 2017 *Massachusetts State Building Code 780 CMR Ninth Edition: Chapter 28*
2020, 2015 and 2010 *National Plumbing Code of Canada*® (NPC)**

*Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of the National Research Council Canada

Compliance with the following standards:

ICC-ES LC1002-2010 (Editorially revised Feb 2013), Press-Connection Fittings for Potable Water Tube and Radiant Heating Systems
NSF/ANSI/CAN 61-2023, Drinking Water Systems Components—Health Effects
NSF/ANSI/CAN 372-2022, Drinking Water System Components – Lead Content
IAPMO/ANSI/CAN Z1117-2022 Press Connections

Identification:

The Press fittings must bear a permanent marking with the following information:

- a) Manufacturer's name or trademark; or
- b) In the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting is manufactured.
- c) Nominal size corresponding to the copper tube size.
- d) Date of manufacture (date code or batch code).

Packages of fittings must be labelled with

- a) Manufacturer's name or trademark; or
- b) In the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting is manufactured.
- c) Model number.
- d) ICC-ES mark of conformity.

Installation:

Press fittings must be installed in accordance with this listing, the applicable code and the manufacturer's published installation instructions. The manufacturer's published installation instructions must be furnished to the code official.

Models:

The Press fittings are available in sizes from 1/2 inch (13mm) to 4 inches (108mm). Press fittings are rated for a maximum operating pressure of 300 pounds per square inch (psi) (2068 kPa). Fittings are available in Copper or Lead-Free Brass and are provided with a factory-installed EPDM (ethylene propylene diene monomer) sealing element.

Model No.	Alternative Code	Product description	Size
PRO5V127704	PRO1290	90° elbow	1/2" x 1/2"
PRO5V127705	PRO3490	90° elbow	3/4" x 3/4"
PRO5V127706	PRO190	90° elbow	1" x 1"
PRO5V127707	PRO11490	90° elbow	1-1/4" x 1-1/4"
PRO5V127708	PRO11290	90° elbow	1-1/2" x 1-1/2"
PRO5V127710	PRO290	90° elbow	2" x 2"
PRO5V137704	PRO12S90	90° street elbow	1/2" x 1/2"
PRO5V137705	PRO34S90	90° street elbow	3/4" x 3/4"
PRO5V137706	PRO1S90	90° street elbow	1" x 1"
PRO5V137707	PRO114S90	90° street elbow	1-1/4" x 1-1/4"
PRO5V137708	PRO112S90	90° street elbow	1-1/2" x 1-1/2"
PRO5V137710	PRO2S90	90° street elbow	2" x 2"
PRO5V147704	PRO1245	45° elbow	1/2" x 1/2"
PRO5V147705	PRO3445	45° elbow	3/4" x 3/4"
PRO5V147706	PRO145	45° elbow	1" x 1"
PRO5V147707	PRO11445	45° elbow	1-1/4" x 1-1/4"
PRO5V147708	PRO11245	45° elbow	1-1/2" x 1-1/2"
PRO5V147710	PRO245	45° elbow	2" x 2"
PRO5V157704	PRO12S45	45° street elbow	1/2" x 1/2"
PRO5V157705	PRO34S45	45° street elbow	3/4" x 3/4"
PRO5V157706	PRO1S45	45° street elbow	1" x 1"
PRO5V157707	PRO114S45	45° street elbow	1-1/4" x 1-1/4"
PRO5V157708	PRO112S45	45° street elbow	1-1/2" x 1-1/2"
PRO5V157710	PRO2S45	45° street elbow	2" x 2"
PRO5V027704	PRO12CO	Coupling w/ stop	1/2" x 1/2"
PRO5V027705	PRO34CO	Coupling w/ stop	3/4" x 3/4"
PRO5V027706	PRO1CO	Coupling w/ stop	1" x 1"

PRO5V027707	PRO114CO	Coupling w/ stop	1-1/4" x 1-1/4"
PRO5V027708	PRO112CO	Coupling w/ stop	1-1/2" x 1-1/2"
PRO5V027710	PRO2CO	Coupling w/ stop	2" x 2"
PRO5V057704	PRO12SLCO	Coupling L/ stop	1/2" x 1/2"
PRO5V057705	PRO34SLCO	Coupling L/ stop	3/4" x 3/4"
PRO5V057706	PRO1SLCO	Coupling L/ stop	1" x 1"
PRO5V057707	PRO114SLCO	Coupling L/ stop	1-1/4" x 1-1/4"
PRO5V057708	PRO112SLCO	Coupling L/ stop	1-1/2" x 1-1/2"
PRO5V057710	PRO2SLCO	Coupling L/ stop	2" x 2"
PRO5V49770504	PRO34X12CO	Reducer Coupling	3/4" x 1/2"
PRO5V49770604	PRO1X12CO	Reducer Coupling	1" x 1/2"
PRO5V49770605	PRO1X34CO	Reducer Coupling	1" x 3/4"
PRO5V49770705	PRO114X34CO	Reducer Coupling	1-1/4" x 3/4"
PRO5V49770706	PRO114X1CO	Reducer Coupling	1-1/4" x 1"
PRO5V49770805	PRO112X34CO	Reducer Coupling	1-1/2" x 3/4"
PRO5V49770806	PRO112X1CO	Reducer Coupling	1-1/2" x 1"
PRO5V49770807	PRO112X114CO	Reducer Coupling	1-1/2" x 1-1/4"
PRO5V49771005	PRO2X34CO	Reducer Coupling	2" x 3/4"
PRO5V49771006	PRO2X1CO	Reducer Coupling	2" x 1"
PRO5V49771007	PRO2X114CO	Reducer Coupling	2" x 1-1/4"
PRO5V49771008	PRO2X112CO	Reducer Coupling	2" x 1-1/2"
PRO5V04770504	PRO34X12FR	Fitting Reducer	3/4" x 1/2"
PRO5V04770604	PRO1X12FR	Fitting Reducer	1" x 1/2"
PRO5V04770605	PRO1X34FR	Fitting Reducer	1" x 3/4"
PRO5V04770704	PRO114X12FR	Fitting Reducer	1-1/4" x 1/2"
PRO5V04770705	PRO114X34FR	Fitting Reducer	1-1/4" x 3/4"
PRO5V04770706	PRO114X1FR	Fitting Reducer	1-1/4" x 1"
PRO5V04770805	PRO112X34FR	Fitting Reducer	1-1/2" x 3/4"
PRO5V04770806	PRO112X1FR	Fitting Reducer	1-1/2" x 1"
PRO5V04770807	PRO112X114FR	Fitting Reducer	1-1/2" x 1-1/4"
PRO5V04771006	PRO2X1FR	Fitting Reducer	2" x 1"
PRO5V04771007	PRO2X114FR	Fitting Reducer	2" x 1-1/4"
PRO5V04771008	PRO2X112FR	Fitting Reducer	2" x 1-1/2"
PRO5V327704	PRO12T	Tee	1/2" x 1/2" x 1/2"
PRO5V327705	PRO34T	Tee	3/4" x 3/4" x 3/4"
PRO5V327706	PRO1T	Tee	1" x 1" x 1"
PRO5V327707	PRO114T	Tee	1-1/4" x 1-1/4" x 1-1/4"
PRO5V327708	PRO112T	Tee	1-1/2" x 1-1/2" x 1-1/2"
PRO5V327710	PRO2T	Tee	2" x 2" x 2"
PRO5V3477050405	PRO34X12X34T	Reducing Tee	3/4" x 1/2" x 3/4"
PRO5V3477060406	PRO1X12X1T	Reducing Tee	1" x 1/2" x 1"
PRO5V3477060506	PRO1X34X1T	Reducing Tee	1" x 3/4" x 1"
PRO5V3477070407	PRO114X12X114T	Reducing Tee	1-1/4" x 1/2" x 1-1/4"
PRO5V3477070507	PRO114X34X114T	Reducing Tee	1-1/4" x 3/4" x 1-1/4"
PRO5V3477080608	PRO112X1X112T	Reducing Tee	1-1/2" x 1" x 1-1/2"
PRO5V3477100810	PRO2X112X2T	Reducing Tee	2" x 1-1/2" x 2"
PRO5V3577050404	PRO34X12X12T	Reducing Tee	3/4" x 1/2" x 1/2"
PRO5V3577060505	PRO1X34X34T	Reducing Tee	1" x 3/4" x 3/4"

PRO5V3577070505	PRO114X34X34T	Reducing Tee	1-1/4" x 3/4" x 3/4"
PRO5V3577070606	PRO114X1X1T	Reducing Tee	1-1/4" x 1" x 1"
PRO5V3577080606	PRO112X1X1T	Reducing Tee	1-1/2" x 1" x 1"
PRO5V3577080707	PRO112X114X114T	Reducing Tee	1-1/2" x 1-1/4" x 1-1/4"
PRO5V3577100707	PRO2X114X114T	Reducing Tee	2" x 1-1/4" x 1-1/4"
PRO5V3577100808	PRO2X112X112T	Reducing Tee	2" x 1-1/2" x 1-1/2"
PRO5V4777060405	PRO1X12X34T	Reducing Tee	1" x 1/2" x 3/4"
PRO5V4777060504	PRO1X34X12T	Reducing Tee	1" x 3/4" x 1/2"
PRO5V4777070506	PRO114X34X1T	Reducing Tee	1-1/4" x 3/4" x 1"
PRO5V4777070604	PRO114X1X12T	Reducing Tee	1-1/4" x 1" x 1/2"
PRO5V4777070605	PRO114X1X34T	Reducing Tee	1-1/4" x 1" x 3/4"
PRO5V4777080605	PRO112X1X34T	Reducing Tee	1-1/2" x 1" x 3/4"
PRO5V4777080705	PRO112X114X34T	Reducing Tee	1-1/2" x 1-1/4" x 3/4"
PRO5V4777080706	PRO112X114X1T	Reducing Tee	1-1/2" x 1-1/4" x 1"
PRO5V4777100805	PRO2X112X34T	Reducing Tee	2" x 1-1/2" x 3/4"
PRO5V4777100806	PRO2X112X1T	Reducing Tee	2" x 1-1/2" x 1"
PRO5V4777100807	PRO2X112X114T	Reducing Tee	2" x 1-1/2" x 1-1/4"
PRO5V3377050504	PRO34X12T	Reducing Tee	3/4" x 3/4" x 1/2"
PRO5V3377060604	PRO1X12T	Reducing Tee	1" x 1" x 1/2"
PRO5V3377060605	PRO1X34T	Reducing Tee	1" x 1" x 3/4"
PRO5V3377070704	PRO114X12T	Reducing Tee	1-1/4" x 1-1/4" x 1/2"
PRO5V3377070705	PRO114X34T	Reducing Tee	1-1/4" x 1-1/4" x 3/4"
PRO5V3377070706	PRO114X1T	Reducing Tee	1-1/4" x 1-1/4" x 1"
PRO5V3377080804	PRO112X12T	Reducing Tee	1-1/2" x 1-1/2" x 1/2"
PRO5V3377080805	PRO112X34T	Reducing Tee	1-1/2" x 1-1/2" x 3/4"
PRO5V3377080806	PRO112X1T	Reducing Tee	1-1/2" x 1-1/2" x 1"
PRO5V3377080807	PRO112X114T	Reducing Tee	1-1/2" x 1-1/2" x 1-1/4"
PRO5V3377101004	PRO2X12T	Reducing Tee	2" x 2" x 1/2"
PRO5V3377101005	PRO2X34T	Reducing Tee	2" x 2" x 3/4"
PRO5V3377101006	PRO2X1T	Reducing Tee	2" x 2" x 1"
PRO5V3377101007	PRO2X114T	Reducing Tee	2" x 2" x 1-1/4"
PRO5V3377101008	PRO2X112T	Reducing Tee	2" x 2" x 1-1/2"
PRO5V3677040405	PRO12X34T	Reducing Tee	1/2" x 1/2" x 3/4"
PRO5V3677040406	PRO12X1T	Reducing Tee	1/2" x 1/2" x 1"
PRO5V3677050506	PRO34X1T	Reducing Tee	3/4" x 3/4" x 1"
PRO5V3677060607	PRO1X114T	Reducing Tee	1" x 1" x 1-1/4"
PRO5V537704	PRO12CA	Cap	1/2"
PRO5V537705	PRO34CA	Cap	3/4"
PRO5V537706	PRO1CA	Cap	1"
PRO5V537707	PRO114CA	Cap	1-1/4"
PRO5V537708	PRO112CA	Cap	1-1/2"
PRO5V537710	PRO2CA	Cap	2"
PRO5V00770403	PRO12X38MA	Male adaptor	1/2" x 3/8"
PRO5V00770404	PRO12MA	Male adaptor	1/2" x 1/2"
PRO5V00770405	PRO12X34MA	Male adaptor	1/2" x 3/4"
PRO5V00770504	PRO34X12MA	Male adaptor	3/4" x 1/2"
PRO5V00770505	PRO34MA	Male adaptor	3/4" x 3/4"
PRO5V00770506	PRO34X1MA	Male adaptor	3/4" x 1"

PRO5V00770605	PRO1X34MA	Male adaptor	1" x 3/4"
PRO5V00770606	PRO1MA	Male adaptor	1" x 1"
PRO5V00770607	PRO1X114MA	Male adaptor	1" x 1-1/4"
PRO5V00770706	PRO114X1MA	Male adaptor	1-1/4" x 1"
PRO5V00770707	PRO114MA	Male adaptor	1-1/4" x 1-1/4"
PRO5V00770708	PRO114X112MA	Male adaptor	1-1/4" x 1-1/2"
PRO5V00770807	PRO112X114MA	Male adaptor	1-1/2" x 1-1/4"
PRO5V00770808	PRO112MA	Male adaptor	1-1/2" x 1-1/2"
PRO5V00770810	PRO112X2MA	Male adaptor	1-1/2" x 2"
PRO5V00771008	PRO2X112MA	Male adaptor	2" x 1-1/2"
PRO5V00771010	PRO2MA	Male adaptor	2" x 2"
PRO5V01770403	PRO12X38FA	Female adaptor	1/2" x 3/8"
PRO5V01770404	PRO12FA	Female adaptor	1/2" x 1/2"
PRO5V01770405	PRO12X34FA	Female adaptor	1/2" x 3/4"
PRO5V01770504	PRO34X12FA	Female adaptor	3/4" x 1/2"
PRO5V01770505	PRO34FA	Female adaptor	3/4" x 3/4"
PRO5V01770604	PRO1X12FA	Female adaptor	1" x 1/2"
PRO5V01770605	PRO1X34FA	Female adaptor	1" x 3/4"
PRO5V01770606	PRO1FA	Female adaptor	1" x 1"
PRO5V01770607	PRO1X114FA	Female adaptor	1" x 1-1/4"
PRO5V01770706	PRO114X1FA	Female adaptor	1-1/4" x 1"
PRO5V01770707	PRO114FA	Female adaptor	1-1/4" x 1-1/4"
PRO5V01770808	PRO112FA	Female adaptor	1-1/2" x 1-1/2"
PRO5V01771010	PRO2FA	Female adaptor	2" x 2"
PRO5V08770403	PRO12X38FTGXMA	Male fitting adaptor	1/2" x 3/8"
PRO5V08770404	PRO12FTGXMA	Male fitting adaptor	1/2" x 1/2"
PRO5V08770405	PRO12X34FTGXMA	Male fitting adaptor	1/2" x 3/4"
PRO5V08770504	PRO34X12FTGXMA	Male fitting adaptor	3/4" x 1/2"
PRO5V08770505	PRO34FTGXMA	Male fitting adaptor	3/4" x 3/4"
PRO5V08770606	PRO1FTGXMA	Male fitting adaptor	1" x 1"
PRO5V08770707	PRO114FTGXMA	Male fitting adaptor	1-1/4" x 1-1/4"
PRO5V08770808	PRO112FTGXMA	Male fitting adaptor	1-1/2" x 1-1/2"
PRO5V08771010	PRO2FTGXMA	Male fitting adaptor	2" x 2"
PRO5V09770404	PRO12FTGXFA	Female fitting adaptor	1/2" x 1/2"
PRO5V09770405	PRO12X34FTGXFA	Female fitting adaptor	1/2" x 3/4"
PRO5V09770504	PRO34X12FTGXFA	Female fitting adaptor	3/4" x 1/2"
PRO5V09770505	PRO34FTGXFA	Female fitting adaptor	3/4" x 3/4"
PRO5V09770606	PRO1FTGXFA	Female fitting adaptor	1" x 1"
PRO5V09770707	PRO114FTGXFA	Female fitting adaptor	1-1/4" x 1-1/4"
PRO5V09770808	PRO112FTGXFA	Female fitting adaptor	1-1/2" x 1-1/2"
PRO5V09771010	PRO2FTGXFA	Female fitting adaptor	2" x 2"
PRO5V11770404	PRO12F90	90° female elbow	1/2" x 1/2"
PRO5V11770505	PRO34F90	90° female elbow	3/4" x 3/4"
PRO5V11770606	PRO1F90	90° female elbow	1" x 1"
PRO5V20770404	PRO12DE90	90° female drop ear	1/2" x 1/2"
PRO5V20770505	PRO34DE90	90° female drop ear	3/4" x 3/4"
PRO5V04770804	PRO112X12FR	Fitting Reducer	1-1/2" x 1/2"
PRO5V04771004	PRO2X12FR	Fitting Reducer	2" x 1/2"

PRO5V04771005	PRO2X34FR	Fitting Reducer	2" x 3/4"
PRO5V3177040404	PRO12FT	Female Tee	1/2" x 1/2" x 1/2"
PRO5V3177050502	PRO34X14FT	Female Tee	3/4" x 3/4" x 1/4"
PRO5V3177050504	PRO34X12FT	Female Tee	3/4" x 3/4" x 1/2"
PRO5V3177050505	PRO34FT	Female Tee	3/4" x 3/4" x 3/4"
PRO5V3177060604	PRO1X12FT	Female Tee	1" x 1" x 1/2"
PRO5V3177060605	PRO1X34FT	Female Tee	1" x 1" x 3/4"
PRO5V3177070704	PRO114X12FT	Female Tee	1-1/4" x 1-1/4" x 1/2"
PRO5V3177070705	PRO114X34FT	Female Tee	1-1/4" x 1-1/4" x 3/4"
PRO5V3177080804	PRO112X12FT	Female Tee	1-1/2" x 1-1/2" x 1/2"
PRO5V3177080805	PRO112X34FT	Female Tee	1-1/2" x 1-1/2" x 3/4"
PRO5V3177101004	PRO2X12FT	Female Tee	2" x 2" x 1/2"
PRO5V3177101005	PRO2X34FT	Female Tee	2" x 2" x 3/4"
PRO5V77770404	PRO12X18X12VE	90° Vent Elbow	1/2" x 1/2" x 1/8"
PRO5V77770505	PRO34X18X34VE	90° Vent Elbow	3/4" x 3/4" x 1/8"
PRO5V74770404	PRO12UN	Union	1/2" x 1/2"
PRO5V74770505	PRO34UN	Union	3/4" x 3/4"
PRO5V74770606	PRO1UN	Union	1" x 1"
PRO5V74770707	PRO114UN	Union	1-1/4" x 1-1/4"
PRO5V74770808	PRO112UN	Union	1-1/2" x 1-1/2"
PRO5V74771010	PRO2UN	Union	2" x 2"
PRO5V55770404	PRO12FUN	Female Union	1/2" x 1/2"
PRO5V55770505	PRO34FUN	Female Union	3/4" x 3/4"
PRO5V55770606	PRO1FUN	Female Union	1" x 1"
PRO5V55770707	PRO114FUN	Female Union	1-1/4" x 1-1/4"
PRO5V55770808	PRO112FUN	Female Union	1-1/2" x 1-1/2"
PRO5V55771010	PRO2FUN	Female Union	2" x 2"
PRO5V54770404	PRO12MUN	Male Union	1/2" x 1/2"
PRO5V54770505	PRO34MUN	Male Union	3/4" x 3/4"
PRO5V54770606	PRO1MUN	Male Union	1" x 1"
PRO5V54770707	PRO114MUN	Male Union	1-1/4" x 1-1/4"
PRO5V54770808	PRO112MUN	Male Union	1-1/2" x 1-1/2"
PRO5V54771010	PRO2MUN	Male Union	2" x 2"
PRO5V127712	PRO21290	90° elbow	2-1/2" x 2-1/2"
PRO5V127714	PRO390	90° elbow	3" x 3"
PRO5V127718	PRO490	90° elbow	4" x 4"
PRO5V137712	PRO212S90	90° street elbow	2-1/2" x 2-1/2"
PRO5V137714	PRO3S90	90° street elbow	3" x 3"
PRO5V137718	PRO4S90	90° street elbow	4" x 4"
PRO5V147712	PRO21245	45° elbow	2-1/2" x 2-1/2"
PRO5V147714	PRO345	45° elbow	3" x 3"
PRO5V147718	PRO445	45° elbow	4" x 4"
PRO5V157712	PRO212S45	45° street elbow	2-1/2" x 2-1/2"
PRO5V157714	PRO3S45	45° street elbow	3" x 3"
PRO5V157718	PRO4S45	45° street elbow	4" x 4"
PRO5V027712	PRO212CO	Coupling w/ stop	2-1/2" x 2-1/2"
PRO5V027714	PRO3CO	Coupling w/ stop	3" x 3"
PRO5V027718	PRO4CO	Coupling w/ stop	4" x 4"

PRO5V057712	PRO212SLCO	Coupling L/ stop	2-1/2" x 2-1/2"
PRO5V057714	PRO3SLCO	Coupling L/ stop	3" x 3"
PRO5V057718	PRO4SLCO	Coupling L/ stop	4" x 4"
PRO5V49771206	PRO212X1CO	Reducer Coupling	2-1/2" x 1"
PRO5V49771207	PRO212X114CO	Reducer Coupling	2-1/2" x 1-1/4"
PRO5V49771208	PRO212X112CO	Reducer Coupling	2-1/2" x 1-1/2"
PRO5V49771210	PRO212X2CO	Reducer Coupling	2-1/2" x 2"
PRO5V49771408	PRO3X112CO	Reducer Coupling	3" x 1-1/2"
PRO5V49771410	PRO3X2CO	Reducer Coupling	3" x 2"
PRO5V49771412	PRO3X212CO	Reducer Coupling	3" x 2-1/2"
PRO5V49771810	PRO4X2CO	Reducer Coupling	4" x 2"
PRO5V49771812	PRO4X212CO	Reducer Coupling	4" x 2-1/2"
PRO5V49771814	PRO4X3CO	Reducer Coupling	4" x 3"
PRO5V04771206	PRO212X1FR	Fitting Reducer	2-1/2" x 1"
PRO5V04771207	PRO212X114FR	Fitting Reducer	2-1/2" x 1-1/4"
PRO5V04771208	PRO212X112FR	Fitting Reducer	2-1/2" x 1-1/2"
PRO5V04771210	PRO212X2FR	Fitting Reducer	2-1/2" x 2"
PRO5V04771407	PRO3X114FR	Fitting Reducer	3" x 1-1/4"
PRO5V04771408	PRO3X112FR	Fitting Reducer	3" x 1-1/2"
PRO5V04771410	PRO3X2FR	Fitting Reducer	3" x 2"
PRO5V04771412	PRO3X212FR	Fitting Reducer	3" x 2-1/2"
PRO5V04771810	PRO4X2FR	Fitting Reducer	4" x 2"
PRO5V04771812	PRO4X212FR	Fitting Reducer	4" x 2-1/2"
PRO5V04771814	PRO4X3FR	Fitting Reducer	4" x 3"
PRO5V00771212	PRO212MA	Male adaptor	2-1/2" x 2-1/2"
PRO5V00771414	PRO3MA	Male adaptor	3" x 3"
PRO5V00771818	PRO4MA	Male adaptor	4" x 4"
PRO5V01771212	PRO212FA	Female adaptor	2-1/2" x 2-1/2"
PRO5V01771414	PRO3FA	Female adaptor	3" x 3"
PRO5V01771818	PRO4FA	Female adaptor	4" x 4"
PRO5V537712	PRO212CA	Cap	2-1/2"
PRO5V537714	PRO3CA	Cap	3"
PRO5V537718	PRO4CA	Cap	4"
PRO5V567712	PRO212FLG	Flange	2-1/2" - 4
PRO5V567714	PRO3FLG	Flange	3" - 4
PRO5V567718	PRO4FLG	Flange	4" - 8
PRO5V327712	PRO212T	Tee	2-1/2" x 2-1/2" x 2-1/2"
PRO5V327714	PRO3T	Tee	3" x 3" x 3"
PRO5V327718	PRO4T	Tee	4" x 4" x 4"
PRO5V3377121204	PRO212X12T	Reducing Tee	2-1/2" x 2-1/2" x 1/2"
PRO5V3377121205	PRO212X34T	Reducing Tee	2-1/2" x 2-1/2" x 3/4"
PRO5V3377121206	PRO212X1T	Reducing Tee	2-1/2" x 2-1/2" x 1"
PRO5V3377121207	PRO212X114T	Reducing Tee	2-1/2" x 2-1/2" x 1-1/4"
PRO5V3377121208	PRO212X112T	Reducing Tee	2-1/2" x 2-1/2" x 1-1/2"
PRO5V3377121210	PRO212X2T	Reducing Tee	2-1/2" x 2-1/2" x 2"
PRO5V3377141404	PRO3X12T	Reducing Tee	3" x 3" x 1/2"
PRO5V3377141405	PRO3X34T	Reducing Tee	3" x 3" x 3/4"
PRO5V3377141406	PRO3X1T	Reducing Tee	3" x 3" x 1"

PRO5V3377141407	PRO3X114T	Reducing Tee	3" x 3" x 1-1/4"
PRO5V3377141408	PRO3X112T	Reducing Tee	3" x 3" x 1-1/2"
PRO5V3377141410	PRO3X2T	Reducing Tee	3" x 3" x 2"
PRO5V3377141412	PRO3X212T	Reducing Tee	3" x 3" x 2-1/2"
PRO5V3377181804	PRO4X12T	Reducing Tee	4" x 4" x 1/2"
PRO5V3377181805	PRO4X34T	Reducing Tee	4" x 4" x 3/4"
PRO5V3377181806	PRO4X1T	Reducing Tee	4" x 4" x 1"
PRO5V3377181807	PRO4X114T	Reducing Tee	4" x 4" x 1-1/4"
PRO5V3377181808	PRO4X112T	Reducing Tee	4" x 4" x 1-1/2"
PRO5V3377181810	PRO4X2T	Reducing Tee	4" x 4" x 2"
PRO5V3377181812	PRO4X212T	Reducing Tee	4" x 4" x 2-1/2"
PRO5V3377181814	PRO4X3T	Reducing Tee	4" x 4" x 3"
PRO5V3477120512	PRO212X34X212T	Reducing Tee	2-1/2" x 3/4" x 2-1/2"
PRO5V3477120612	PRO212X1X212T	Reducing Tee	2-1/2" x 1" x 2-1/2"
PRO5V3477120712	PRO212X114X212T	Reducing Tee	2-1/2" x 1-1/4" x 2-1/2"
PRO5V3477120812	PRO212X112X212T	Reducing Tee	2-1/2" x 1-1/2" x 2-1/2"
PRO5V3477121012	PRO212X2X212T	Reducing Tee	2-1/2" x 2" x 2-1/2"
PRO5V3477140514	PRO3X34X3T	Reducing Tee	3" x 3/4" x 3"
PRO5V3477140614	PRO3X13XT	Reducing Tee	3" x 1" x 3"
PRO5V3477140714	PRO3X114X3T	Reducing Tee	3" x 1-1/4" x 3"
PRO5V3477140814	PRO3X112X3T	Reducing Tee	3" x 1-1/2" x 3"
PRO5V3477141014	PRO3X2X3T	Reducing Tee	3" x 2" x 3"
PRO5V3477141214	PRO3X212X3T	Reducing Tee	3" x 2-1/2" x 3"
PRO5V3577121010	PRO212X2X2T	Reducing Tee	2-1/2" x 2" x 2"
PRO5V3577141010	PRO3X2X2T	Reducing Tee	3" x 2" x 2"
PRO5V3577141212	PRO3X212X212T	Reducing Tee	3" x 2-1/2" x 2-1/2"
PRO5V3577181414	PRO4X3X3T	Reducing Tee	4" x 3" x 3"
PRO5V4777121005	PRO212X2X34T	Reducing Tee	2-1/2" x 2" x 3/4"
PRO5V4777121006	PRO212X2X1T	Reducing Tee	2-1/2" x 2" x 1"
PRO5V4777121008	PRO212X2X112T	Reducing Tee	2-1/2" x 2" x 1-1/2"
PRO5V4777141012	PRO3X2X212T	Reducing Tee	3" x 2" x 2-1/2"
PRO5V4777141210	PRO3X212X2T	Reducing Tee	3" x 2-1/2" x 2"
PRO5V4777181410	PRO4X3X2T	Reducing Tee	4" x 3" x 2"

Conditions of listing:

1. Fittings are for use with ASTM B 88, Type K, L, or M, copper.
2. Operating temperature range for potable water must be within 32°F to 250°F (0°C to 121°C). Operating temperature range for hydronic systems must be within 0°F to 250°F (-17°C to 121°C).
3. The fittings have been evaluated and approved for below grade installation.
4. The potable water distribution system utilizing the Press fittings must be pressure-tested and inspected in accordance with IPC Section 312.5, 2012 and 2009 IRC Section P2503.7, 2006 IRC Section P2503.6 or UPC Section 609.4, as applicable.
5. Radiant heating systems must be pressure-tested for leaks before installation of the covering in accordance with IMC Section 1208, 2012 and 2009 IRC Section M2103.4 or 2006 IRC Section M2103.3, as applicable.
6. The fittings are manufactured under a quality control program with annual surveillance inspections by ICC-ES.