

ICC-ES PMG Product Certificate



PMG-1708

Effective Date: September 2024 This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING

Section: 22 40 00—Plumbing Fixtures

Section: 22 09 00—Instrumentation and Control for Plumbing

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: EPA WaterSense – Showerhead and Handheld Shower

Listee: Shenzhen Ya'en Sanitary Ware Co. Ltd.

B1608 Huaide Plaza, No. 77 Fuyong Section,

Guangshen Road, Huaide Community, Fuyong Street, Bao'an District,

Shenzhen, Guangdong 518103

China

Compliance with the following standards:

EPA WaterSense Specification for Showerheads (Version 1.1, July 26, 2018)

Identification:

Showerheads and hand-held showers shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured.
- (c) the maximum flow rate value in gpm and L/min as specified by the manufacturer.
- (d) the ICC-ES PMG listing mark

Markings shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings shall be located in such a way that they are visible after installation.

Packaging shall be marked with:

- (a) the manufacturer's recognized name, trademark, or other mark as well as the model number; or
- (b) in the case of private labeling, the name, trademark, or other mark of the customer for whom the fitting was manufactured as well as the model number.
- (c) the EPA WaterSense label

Packaging or other included literature for shower heads and hand-held showers shall be marked with the manufacturer's specified maximum flow rate and either item a) or b), as follows:

- (a) the manufacturer's specified minimum flow rate at 310 ± 7 kPa (45 ± 1 psi) determined; or
- (b) the statement "For use with automatic compensating valves rated at XXX L/min (YYY gpm) or less", where XXX L/min (YYY gpm) is the lowest minimum flow rate recorded.

Flow rate marking shall be in gpm and L/min in two-or-three-digit resolutions (e.g., 2.0 gpm [7.6 L/min]).



Installation:

Showerheads and hand-held showers are to be installed in accordance with the manufacturer's instructions and the applicable codes.

Models:

Manufacturer Name: Shenzhen Ya'en Sanitary Ware Co. Ltd. **Brand Name:** Sumerain

| Certification Date | Model Name | Model Number | Maximum Rated Flow Rate (gpm) |
|-----------------------|------------|--------------|-------------------------------|
| 09/01/2023 | | S3223IB-XX | 1.8 |
| 09/01/2023 | | S3238IB-XX | 1.8 |
| 09/01/2023 | | S3235H-XX | 1.8 |
| 09/01/2023 | | S2133W-XX | 1.8 |
| 09/01/2023 | | S2129W-XX | 1.8 |
| 09/01/2023 | | S2127I-XX | 1.8 |
| 09/01/2023 | | S2159FW-XX | 1.8 |
| 09/01/2023 | | S3233WB-XX | 1.8 |
| 09/01/2023 | | PTR00001XX | 1.8 |
| 09/01/2023 | | PHS32230XX | 1.8 |
| 09/01/2023 | | PHS21270XX | 1.8 |
| 09/01/2023 | | PHS00001XX | 1.8 |
| 09/01/2023 | | PTR00002XX | 1.8 |
| 09/01/2023 | | S2121WB-XX | 1.8 |
| 09/01/2023 | | S2126W-XX | 1.8 |
| 09/01/2023 | | S2138W-XX | 1.8 |
| 09/01/2023 | | S2141W-XX | 1.8 |
| 09/01/2023 | | S2148W-XX | 1.8 |
| 09/01/2023 | | S2137S-XX | 1.8 |
| 09/01/2023 | | S2139F-XX | 1.8 |
| 09/01/2023 | | S2139-XX | 1.8 |
| 09/01/2023 | | S2139D | 1.8 |
| 09/01/2023 | | S2151W-XX | 1.8 |
| 09/01/2023 | | S2157F-XX | 1.8 |
| 09/01/2023 | | S2158FW-XX | 1.8 |
| 09/01/2023 | | S2154F-XX | 1.8 |
| 09/01/2023 | | S2136FW-XX | 1.8 |
| 09/01/2023 | | S2159FW-XX | 1.8 |
| 09/01/2023 | | S2160FW-XX | 1.8 |
| 09/01/2023 | | S2163W-XX | 1.8 |
| 09/01/2023 | | S2161W-XX | 1.8 |

The "XX" represents different types of finishes as follows:

| • | • • • • • • • • • • • • • • • • • • • • |
|----|-----------------------------------------|
| OB | Oil Rubbed Bronze |
| CH | Chrome |
| BN | Brushed Nickel |
| MB | Matte Black |
| BG | Brushed Gold |
| MG | Matte Black and Brushed Gold |

| Certification Date | Model Name | Model Number | Maximum Rated Flow Rate (gpm) |
|-----------------------|------------|--------------|-------------------------------|
| 09/01/2023 | | S3233XW-B | 1.8 |
| 09/01/2023 | | S3223XI-B | 1.8 |
| 09/01/2023 | | S3223XI | 1.8 |
| 09/01/2023 | | S3238XI-B | 1.8 |
| 09/01/2023 | | S3235X | 1.8 |
| 09/01/2023 | | S3235XI | 1.8 |
| 09/01/2023 | | S2133XW | 1.8 |
| 09/01/2023 | | S2129XW | 1.8 |
| 09/01/2023 | | S2121XW | 1.8 |
| 09/01/2023 | | S2121XW-B | 1.8 |
| 09/01/2023 | | S2127XI | 1.8 |
| 09/01/2023 | | S2126XW | 1.8 |
| 09/01/2023 | | S2138XW | 1.8 |
| 09/01/2023 | | S2141XW | 1.8 |
| 09/01/2023 | | S2148XW | 1.8 |
| 09/01/2023 | | S2137XS | 1.8 |
| 09/01/2023 | | S2151XW | 1.8 |
| 09/01/2023 | | S2157X | 1.8 |
| 09/01/2023 | | S2158X | 1.8 |
| 09/01/2023 | | S2154X | 1.8 |
| 09/01/2023 | | S2136X | 1.8 |
| 09/01/2023 | | S2159X | 1.8 |
| 09/01/2023 | | S2160X | 1.8 |
| 09/01/2023 | | S2163X | 1.8 |
| 09/01/2023 | | S2161X | 1.8 |

The "X" represents different types of finishes as follows:

| BG | Brushed Gold |
|----|-------------------|
| С | Chrome |
| D | Matte Black |
| N | Brushed Nickel |
| 0 | Oil Rubbed Bronze |

Conditions of listing:

- 1. The products recognized in this listing must be installed in accordance with the manufacturer's published installation instructions and the applicable codes.
- 2. The products recognized in this listing are manufactured under a quality control program with annual surveillance inspection by ICC-ES.